r - Keep one copy for your files	send one copy to the Athletic Director - Keep one copy for your files
NYSPH\$AA Assessor Dale	It difference is less than or equal to .5 mm, record average. It difference is greater than .5 mm, take a 3rd and record average.
Minimum Weight Class	Abdominal Take 2 in series.
	Subscapular
Minimum Weight at 7% BF = lbs.	Triceps
Or	Average
7% BF weight = $11 - 1$ $\frac{1}{88}$ $\frac{1}{1}$	SKINFOLD MEASUREMENTS [SF] (nearest .5 mm)
CALCULATING MINIMUM WEIGHT AT 7% BF	Weight:lbs.
	Assessor:
%Bf =	lesting to continue
Use dala sheef on page 15 of Assessors Manual	Urinalysis: Specific gravity of urine: (indicate pass or fail)
$%BF = \{4.57 \div \frac{4.142}{8D} - 4.142\} \times 100$	DATA COLLECTION
% BODY FAT (BF) from Brozek Equation	Race: Caucasian, Hispanic, Black, Asian, Native American, Other
	Athletic Director's email address:
BO =	lown/City of School:
BD = 1.0973 - () + []	Section:
$BD = 1.0973 - (\times .000815) + (\times .00000084$	School:
BUUY UENSITY (BU) from Lohman Equation	Name: Gruve:
MINIMUM WRESTLING WEIGHT CALCULATIONS	Caach: Please complete (print) to dofted fine
INDIVIDUAL PROFILE FORM - MALES	INDIVIDUAL PROF
WRESTLING MINIMUM WEIGHT CEPTIFIC ATIONS WRESTLING MINIMUM WEIGHT CEPTIFIC ATIONS	WRESTLING MINIMUM
	Now York State Dubling Billing